

**This Page is Inserted by IFW Indexing and Scanning  
Operations and is not part of the Official Record**

**BEST AVAILABLE IMAGES**

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

- ☐ **BLACK BORDERS**
- ☐ **IMAGE CUT OFF AT TOP, BOTTOM OR SIDES**
- ☐ **FADED TEXT OR DRAWING**
- ☐ **BLURRED OR ILLEGIBLE TEXT OR DRAWING**
- ☐ **SKEWED/SLANTED IMAGES**
- ☐ **COLOR OR BLACK AND WHITE PHOTOGRAPHS**
- ☐ **GRAY SCALE DOCUMENTS**
- ☐ **LINES OR MARKS ON ORIGINAL DOCUMENT**
- ☐ **REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY**
- ☐ **OTHER:** \_\_\_\_\_

**IMAGES ARE BEST AVAILABLE COPY.**

**As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.**

L Number	Hits	Search Text	DB	Time stamp
3	2847	(717/136 or 717/138 or 717/139 or 717/140 or 717/148 or 717/162 or 717/167 or 703/24 or 703/26 or 703/27).clss	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/10 11:55
13	9763	(execut\$3 or launch\$3 or deploy\$3) with (cod\$3 or program\$4 or software\$1 or application\$1 or instruction\$1) with cache\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/10 12:42
24	1836	compiler\$1 with (link\$3 with (cod\$3 or program\$4 or software\$1 or application\$1 or instruction\$1))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/10 16:02
30	7188	(emulat\$3 or compiler\$1) near20 ((translat\$3 or decod\$3 or encod\$3 or convert\$3 or interpret\$3 or map\$4) with (cod\$3 or program\$4 or software\$1 or application\$1 or instruction\$1))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/10 12:41
33	46518	(sav\$3 or emit\$4 or writ\$4 or stor\$4 or log\$4 or copi\$2 or copy\$3 or collect\$3 or \$lreserv\$5 or warehous\$3 or conserv\$6) with cache\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/10 12:57
31	22		USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/10 13:05
36	4		USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/10 13:06
37	2103	emulat\$3 with ((receiv\$3 or retriev\$3 or fetch\$3 or intercept\$3 or accept\$3 or acquir\$3 or collect\$3 or obtain\$3 or secur\$3 or provid\$3) with (cod\$3 or program\$4 or instruction\$1))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/10 13:11
38	4	((execut\$3 or launch\$3 or deploy\$3) with (cod\$3 or program\$4 or software\$1 or application\$1 or instruction\$1) with cache\$1) and (compiler\$1 with (link\$3 with (cod\$3 or program\$4 or software\$1 or application\$1 or instruction\$1))) and ((emulat\$3 or compiler\$1) near20 ((translat\$3 or decod\$3 or encod\$3 or convert\$3 or interpret\$3 or map\$4) with (cod\$3 or program\$4 or software\$1 or application\$1 or instruction\$1))) and ((sav\$3 or emit\$4 or writ\$4 or stor\$4 or log\$4 or copi\$2 or copy\$3 or collect\$3 or \$lreserv\$5 or warehous\$3 or conserv\$6) with cache\$1) and (emulat\$3 with ((receiv\$3 or retriev\$3 or fetch\$3 or intercept\$3 or accept\$3 or acquir\$3 or collect\$3 or obtain\$3 or secur\$3 or provid\$3) with (cod\$3 or program\$4 or instruction\$1)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/10 13:12
39	2812	emulat\$3 with ((receiv\$3 or retriev\$3 or fetch\$3 or intercept\$3 or accept\$3 or acquir\$3 or collect\$3 or obtain\$3 or secur\$3 or provid\$3) with (cod\$3 or program\$4 or instruction\$1 or input\$1))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/10 13:14

40	4	((execut\$3 or launch\$3 or deploy\$3) with (cod\$3 or program\$4 or software\$1 or application\$1 or instruction\$1) with cache\$1) and (compiler\$1 with (link\$3 with (cod\$3 or program\$4 or software\$1 or application\$1 or instruction\$1))) and ((emulat\$3 or compiler\$1) near20 ((translat\$3 or decod\$3 or encod\$3 or convert\$3 or interpret\$3 or map\$4) with (cod\$3 or program\$4 or software\$1 or application\$1 or instruction\$1))) and ((sav\$3 or emit\$4 or writ\$4 or stor\$4 or log\$4 or copi\$2 or copy\$3 or collect\$3 or \$lreserv\$5 or warehous\$3 or conserv\$6) with cache\$1) and (emulat\$3 with ((receiv\$3 or retriev\$3 or fetch\$3 or intercept\$3 or accept\$3 or acquir\$3 or collect\$3 or obtain\$3 or secur\$3 or provid\$3) with (cod\$3 or program\$4 or instruction\$1 or input\$1)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/10 13:12
41	313	(emulat\$3 with ((receiv\$3 or retriev\$3 or fetch\$3 or intercept\$3 or accept\$3 or acquir\$3 or collect\$3 or obtain\$3 or secur\$3 or provid\$3) with (cod\$3 or program\$4 or instruction\$1 or input\$1))) and ((717/136 or 717/138 or 717/139 or 717/140 or 717/148 or 717/162 or 717/167 or 703/24 or 703/26 or 703/27).clss)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/10 13:15
42	52	((emulat\$3 with ((receiv\$3 or retriev\$3 or fetch\$3 or intercept\$3 or accept\$3 or acquir\$3 or collect\$3 or obtain\$3 or secur\$3 or provid\$3) with (cod\$3 or program\$4 or instruction\$1 or input\$1))) and ((717/136 or 717/138 or 717/139 or 717/140 or 717/148 or 717/162 or 717/167 or 703/24 or 703/26 or 703/27).clss)) and ((execut\$3 or launch\$3 or deploy\$3) with (cod\$3 or program\$4 or software\$1 or application\$1 or instruction\$1) with cache\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/10 13:15
44	46	((emulat\$3 with ((receiv\$3 or retriev\$3 or fetch\$3 or intercept\$3 or accept\$3 or acquir\$3 or collect\$3 or obtain\$3 or secur\$3 or provid\$3) with (cod\$3 or program\$4 or instruction\$1 or input\$1))) and ((717/136 or 717/138 or 717/139 or 717/140 or 717/148 or 717/162 or 717/167 or 703/24 or 703/26 or 703/27).clss)) and ((execut\$3 or launch\$3 or deploy\$3) with (cod\$3 or program\$4 or software\$1 or application\$1 or instruction\$1) with cache\$1) and ((sav\$3 or emit\$4 or writ\$4 or stor\$4 or log\$4 or copi\$2 or copy\$3 or collect\$3 or \$lreserv\$5 or warehous\$3 or conserv\$6) with cache\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/10 13:16

45	40	(((((emulat\$3 with ((receiv\$3 or retriev\$3 or fetch\$3 or intercept\$3 or accept\$3 or acquir\$3 or collect\$3 or obtain\$3 or secur\$3 or provid\$3) with (cod\$3 or program\$4 or instruction\$1 or input\$1))) and ((717/136 or 717/138 or 717/139 or 717/140 or 717/148 or 717/162 or 717/167 or 703/24 or 703/26 or 703/27).clss)) and ((execut\$3 or launch\$3 or deploy\$3) with (cod\$3 or program\$4 or software\$1 or application\$1 or instruction\$1) with cache\$1)) and ((sav\$3 or emit\$4 or writ\$4 or stor\$4 or log\$4 or copi\$2 or copy\$3 or collect\$3 or \$lreserv\$5 or warehous\$3 or conserv\$6) with cache\$1)) and ((emulat\$3 or compiler\$1) near20 ((translat\$3 or decod\$3 or encod\$3 or convert\$3 or interpret\$3 or map\$4) with (cod\$3 or program\$4 or software\$1 or application\$1 or instruction\$1)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/10 13:17
46	40	(((((emulat\$3 with ((receiv\$3 or retriev\$3 or fetch\$3 or intercept\$3 or accept\$3 or acquir\$3 or collect\$3 or obtain\$3 or secur\$3 or provid\$3) with (cod\$3 or program\$4 or instruction\$1 or input\$1))) and ((717/136 or 717/138 or 717/139 or 717/140 or 717/148 or 717/162 or 717/167 or 703/24 or 703/26 or 703/27).clss)) and ((execut\$3 or launch\$3 or deploy\$3) with (cod\$3 or program\$4 or software\$1 or application\$1 or instruction\$1) with cache\$1)) and ((sav\$3 or emit\$4 or writ\$4 or stor\$4 or log\$4 or copi\$2 or copy\$3 or collect\$3 or \$lreserv\$5 or warehous\$3 or conserv\$6) with cache\$1)) and ((emulat\$3 or compiler\$1) near20 ((translat\$3 or decod\$3 or encod\$3 or convert\$3 or interpret\$3 or map\$4) with (cod\$3 or program\$4 or software\$1 or application\$1 or instruction\$1)))) and ((717/136 or 717/138 or 717/139 or 717/140 or 717/148 or 717/162 or 717/167 or 703/24 or 703/26 or 703/27).clss)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/10 13:23
47	7	((emulat\$3 with ((receiv\$3 or retriev\$3 or fetch\$3 or intercept\$3 or accept\$3 or acquir\$3 or collect\$3 or obtain\$3 or secur\$3 or provid\$3) with (cod\$3 or program\$4 or instruction\$1 or input\$1))) and ((717/136 or 717/138 or 717/139 or 717/140 or 717/148 or 717/162 or 717/167 or 703/24 or 703/26 or 703/27).clss)) and (compiler\$1 with (link\$3 with (cod\$3 or program\$4 or software\$1 or application\$1 or instruction\$1)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/10 13:23
64	2	("6463582").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/10 15:56
66	1	((("6463582").PN.) and ((execut\$3 or launch\$3 or deploy\$3) with (cod\$3 or program\$4 or software\$1 or application\$1 or instruction\$1) with cache\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/10 15:56
67	0	((("6463582").PN.) and ((execut\$3 or launch\$3 or deploy\$3) with (cod\$3 or program\$4 or software\$1 or application\$1 or instruction\$1) with cache\$1)) and (compiler\$1 with (link\$3 with (cod\$3 or program\$4 or software\$1 or application\$1 or instruction\$1)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/10 15:56

68	1	((("6463582").PN.) and ((execut\$3 or launch\$3 or deploy\$3) with (cod\$3 or program\$4 or software\$1 or application\$1 or instruction\$1) with cache\$1)) and ((emulat\$3 or compiler\$1) near20 ((translat\$3 or decod\$3 or encod\$3 or convert\$3 or interpret\$3 or map\$4) with (cod\$3 or program\$4 or software\$1 or application\$1 or instruction\$1))))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/10 15:57
70	0	((("6463582").PN.) and ((execut\$3 or launch\$3 or deploy\$3) with (cod\$3 or program\$4 or software\$1 or application\$1 or instruction\$1) with cache\$1)) and ((emulat\$3 or compiler\$1) near20 ((translat\$3 or decod\$3 or encod\$3 or convert\$3 or interpret\$3 or map\$4) with (cod\$3 or program\$4 or software\$1 or application\$1 or instruction\$1)))) and ((sav\$3 or emit\$4 or writ\$4 or stor\$4 or log\$4 or copi\$2 or copy\$3 or collect\$3 or \$lreserv\$5 or warehous\$3 or conserv\$6) with cache\$1)) and (emulat\$3 with ((receiv\$3 or retriev\$3 or fetch\$3 or intercept\$3 or accept\$3 or acquir\$3 or collect\$3 or obtain\$3 or secur\$3 or provid\$3) with (cod\$3 or program\$4 or instruction\$1 or input\$1))))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/10 15:57
71	0	((("6463582").PN.) and ((execut\$3 or launch\$3 or deploy\$3) with (cod\$3 or program\$4 or software\$1 or application\$1 or instruction\$1) with cache\$1)) and ((emulat\$3 or compiler\$1) near20 ((translat\$3 or decod\$3 or encod\$3 or convert\$3 or interpret\$3 or map\$4) with (cod\$3 or program\$4 or software\$1 or application\$1 or instruction\$1)))) and ((sav\$3 or emit\$4 or writ\$4 or stor\$4 or log\$4 or copi\$2 or copy\$3 or collect\$3 or \$lreserv\$5 or warehous\$3 or conserv\$6) with cache\$1)) and (emulat\$3 with ((receiv\$3 or retriev\$3 or fetch\$3 or intercept\$3 or accept\$3 or acquir\$3 or collect\$3 or obtain\$3 or secur\$3 or provid\$3) with (cod\$3 or program\$4 or instruction\$1))))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/10 15:57
69	1	((("6463582").PN.) and ((execut\$3 or launch\$3 or deploy\$3) with (cod\$3 or program\$4 or software\$1 or application\$1 or instruction\$1) with cache\$1)) and ((emulat\$3 or compiler\$1) near20 ((translat\$3 or decod\$3 or encod\$3 or convert\$3 or interpret\$3 or map\$4) with (cod\$3 or program\$4 or software\$1 or application\$1 or instruction\$1)))) and ((sav\$3 or emit\$4 or writ\$4 or stor\$4 or log\$4 or copi\$2 or copy\$3 or collect\$3 or \$lreserv\$5 or warehous\$3 or conserv\$6) with cache\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/10 16:02

74	1	(((((("6463582").PN.) and ((execut\$3 or launch\$3 or deploy\$3) with (cod\$3 or program\$4 or software\$1 or application\$1 or instruction\$1) with cache\$1)) and ((emulat\$3 or compiler\$1) near20 ((translat\$3 or decod\$3 or encod\$3 or convert\$3 or interpret\$3 or map\$4) with (cod\$3 or program\$4 or software\$1 or application\$1 or instruction\$1)))) and ((sav\$3 or emit\$4 or writ\$4 or stor\$4 or log\$4 or copi\$2 or copy\$3 or collect\$3 or \$lreserv\$5 or warehous\$3 or conserv\$6) with cache\$1)) and (link\$3 with (cod\$3 or program\$4 or software\$1 or application\$1 or instruction\$1 or segment\$1 or block\$1))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/10 16:04
----	---	--	---	------------------

L Number	Hits	Search Text	DB	Time stamp
-	13958	((comput\$4 or program\$5) with (system\$1 or device\$1 or peripheral\$1 or machine\$1)) or hardware) with (emulat\$3 or imitat\$3 or mirror\$3 or mimic\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/09 12:06
-	692699	(translat\$3 or decod\$3 or encod\$3 or convert\$3 or interpret\$3 or map\$4 or compil\$5 or link\$3 or assembl\$4) with (cod\$3 or program\$4 or software\$1 or application\$1 or instruction\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/09 14:07
-	7123	((((comput\$4 or program\$5) with (system\$1 or device\$1 or peripheral\$1 or machine\$1)) or hardware) with (emulat\$3 or imitat\$3 or mirror\$3 or mimic\$4)) and ((translat\$3 or decod\$3 or encod\$3 or convert\$3 or interpret\$3 or map\$4 or compil\$5 or link\$3 or assembl\$4) with (cod\$3 or program\$4 or software\$1 or application\$1 or instruction\$1))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/09 12:06
-	564	(((((comput\$4 or program\$5) with (system\$1 or device\$1 or peripheral\$1 or machine\$1)) or hardware) with (emulat\$3 or imitat\$3 or mirror\$3 or mimic\$4)) and ((translat\$3 or decod\$3 or encod\$3 or convert\$3 or interpret\$3 or map\$4 or compil\$5 or link\$3 or assembl\$4) with (cod\$3 or program\$4 or software\$1 or application\$1 or instruction\$1))) and ((717/136 or 717/138 or 717/139 or 717/140 or 717/148 or 717/162 or 717/167 or 703/24 or 703/26 or 703/27).class)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/09 12:06
-	17563	((translat\$3 or decod\$3 or encod\$3 or convert\$3 or interpret\$3 or map\$4 or compil\$5 or link\$3 or assembl\$4) with (cod\$3 or program\$4 or software\$1 or application\$1 or instruction\$1)) with (dynamic\$4 or real?time or run?time or just?in?time)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/09 12:08
-	145	(((((comput\$4 or program\$5) with (system\$1 or device\$1 or peripheral\$1 or machine\$1)) or hardware) with (emulat\$3 or imitat\$3 or mirror\$3 or mimic\$4)) and ((translat\$3 or decod\$3 or encod\$3 or convert\$3 or interpret\$3 or map\$4 or compil\$5 or link\$3 or assembl\$4) with (cod\$3 or program\$4 or software\$1 or application\$1 or instruction\$1))) and ((717/136 or 717/138 or 717/139 or 717/140 or 717/148 or 717/162 or 717/167 or 703/24 or 703/26 or 703/27).class)) and ((translat\$3 or decod\$3 or encod\$3 or convert\$3 or interpret\$3 or map\$4 or compil\$5 or link\$3 or assembl\$4) with (cod\$3 or program\$4 or software\$1 or application\$1 or instruction\$1)) with (dynamic\$4 or real?time or run?time or just?in?time))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/09 12:08
-	28646	(sav\$3 or writ\$4 or stor\$4 or log\$4 or copi\$2 or copy\$3 or collect\$3 or \$lreserv\$5 or warehous\$3 or cach\$3 or conserv\$6) with (cod\$3 or program\$4 or software\$1 or application\$1 or instruction\$1) with cache\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/09 12:10

-	73	(((((((comput\$4 or program\$5) with (system\$1 or device\$1 or peripheral\$1 or machine\$1)) or hardware) with (emulat\$3 or imitat\$3 or mirror\$3 or mimic\$4)) and ((translat\$3 or decod\$3 or encod\$3 or convert\$3 or interpret\$3 or map\$4 or compil\$5 or link\$3 or assembl\$4) with (cod\$3 or program\$4 or software\$1 or application\$1 or instruction\$1))) and ((717/136 or 717/138 or 717/139 or 717/140 or 717/148 or 717/162 or 717/167 or 703/24 or 703/26 or 703/27).class)) and (((translat\$3 or decod\$3 or encod\$3 or convert\$3 or interpret\$3 or map\$4 or compil\$5 or link\$3 or assembl\$4) with (cod\$3 or program\$4 or software\$1 or application\$1 or instruction\$1)) with (dynamic\$4 or real?time or run?time or just?in?time))) and ((sav\$3 or writ\$4 or stor\$4 or log\$4 or copi\$2 or copy\$3 or collect\$3 or \$lreserv\$5 or warehous\$3 or cach\$3 or conserv\$6) with (cod\$3 or program\$4 or software\$1 or application\$1 or instruction\$1) with cache\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/09 12:15
-	42	(((((((comput\$4 or program\$5) with (system\$1 or device\$1 or peripheral\$1 or machine\$1)) or hardware) with (emulat\$3 or imitat\$3 or mirror\$3 or mimic\$4)) and ((translat\$3 or decod\$3 or encod\$3 or convert\$3 or interpret\$3 or map\$4 or compil\$5 or link\$3 or assembl\$4) with (cod\$3 or program\$4 or software\$1 or application\$1 or instruction\$1))) and ((717/136 or 717/138 or 717/139 or 717/140 or 717/148 or 717/162 or 717/167 or 703/24 or 703/26 or 703/27).class)) and (((translat\$3 or decod\$3 or encod\$3 or convert\$3 or interpret\$3 or map\$4 or compil\$5 or link\$3 or assembl\$4) with (cod\$3 or program\$4 or software\$1 or application\$1 or instruction\$1)) with (dynamic\$4 or real?time or run?time or just?in?time))) and ((sav\$3 or writ\$4 or stor\$4 or log\$4 or copi\$2 or copy\$3 or collect\$3 or \$lreserv\$5 or warehous\$3 or cach\$3 or conserv\$6) with (cod\$3 or program\$4 or software\$1 or application\$1 or instruction\$1) with cache\$1)) and (virtual near2 (machine\$1 or memor\$3))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/09 12:18
-	422566	(exception\$1 or interrupt\$4 or fault\$1 or event\$1) with (handl\$3 or manag\$4 or control\$4 or administ\$6 or process\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/09 12:19



-	33	((((((((comput\$4 or program\$5) with (system\$1 or device\$1 or peripheral\$1 or machine\$1)) or hardware) with (emulat\$3 or imitat\$3 or mirror\$3 or mimic\$4)) and ((translat\$3 or decod\$3 or encod\$3 or convert\$3 or interpret\$3 or map\$4 or compil\$5 or link\$3 or assembl\$4) with (cod\$3 or program\$4 or software\$1 or application\$1 or instruction\$1))) and ((717/136 or 717/138 or 717/139 or 717/140 or 717/148 or 717/162 or 717/167 or 703/24 or 703/26 or 703/27).class)) and (((translat\$3 or decod\$3 or encod\$3 or convert\$3 or interpret\$3 or map\$4 or compil\$5 or link\$3 or assembl\$4) with (cod\$3 or program\$4 or software\$1 or application\$1 or instruction\$1)) with (dynamic\$4 or real?time or run?time or just?in?time))) and ((sav\$3 or writ\$4 or stor\$4 or log\$4 or copi\$2 or copy\$3 or collect\$3 or \$lreserv\$5 or warehous\$3 or cach\$3 or conserv\$6) with (cod\$3 or program\$4 or software\$1 or application\$1 or instruction\$1) with cache\$1)) and (virtual near2 (machine\$1 or memor\$3))) and ((exception\$1 or interrupt\$4 or fault\$1 or event\$1) with (handl\$3 or manag\$4 or control\$4 or administ\$6 or process\$3)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/09 12:20
-	8953	((translat\$3 or decod\$3 or encod\$3 or convert\$3 or interpret\$3 or map\$4 or compil\$5 or link\$3 or assembl\$4) with (cod\$3 or program\$4 or software\$1 or application\$1 or instruction\$1)) same (application near5 interface\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/09 12:40
-	5	((((((((((((comput\$4 or program\$5) with (system\$1 or device\$1 or peripheral\$1 or machine\$1)) or hardware) with (emulat\$3 or imitat\$3 or mirror\$3 or mimic\$4)) and ((translat\$3 or decod\$3 or encod\$3 or convert\$3 or interpret\$3 or map\$4 or compil\$5 or link\$3 or assembl\$4) with (cod\$3 or program\$4 or software\$1 or application\$1 or instruction\$1))) and ((717/136 or 717/138 or 717/139 or 717/140 or 717/148 or 717/162 or 717/167 or 703/24 or 703/26 or 703/27).class)) and (((translat\$3 or decod\$3 or encod\$3 or convert\$3 or interpret\$3 or map\$4 or compil\$5 or link\$3 or assembl\$4) with (cod\$3 or program\$4 or software\$1 or application\$1 or instruction\$1)) with (dynamic\$4 or real?time or run?time or just?in?time))) and ((sav\$3 or writ\$4 or stor\$4 or log\$4 or copi\$2 or copy\$3 or collect\$3 or \$lreserv\$5 or warehous\$3 or cach\$3 or conserv\$6) with (cod\$3 or program\$4 or software\$1 or application\$1 or instruction\$1) with cache\$1)) and (virtual near2 (machine\$1 or memor\$3))) and ((exception\$1 or interrupt\$4 or fault\$1 or event\$1) with (handl\$3 or manag\$4 or control\$4 or administ\$6 or process\$3))) and (((translat\$3 or decod\$3 or encod\$3 or convert\$3 or interpret\$3 or map\$4 or compil\$5 or link\$3 or assembl\$4) with (cod\$3 or program\$4 or software\$1 or application\$1 or instruction\$1)) same (application near5 interface\$1))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/09 12:38

-	10634	((translat\$3 or decod\$3 or encod\$3 or convert\$3 or interpret\$3 or map\$4 or compil\$5 or link\$3 or assembl\$4) with (cod\$3 or program\$4 or software\$1 or application\$1 or instruction\$1)) same ((application near5 interface\$1) or API)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/09 12:54
-	7	(((((((((comput\$4 or program\$5) with (system\$1 or device\$1 or peripheral\$1 or machine\$1)) or hardware) with (emulat\$3 or imitat\$3 or mirror\$3 or mimic\$4)) and ((translat\$3 or decod\$3 or encod\$3 or convert\$3 or interpret\$3 or map\$4 or compil\$5 or link\$3 or assembl\$4) with (cod\$3 or program\$4 or software\$1 or application\$1 or instruction\$1))) and ((717/136 or 717/138 or 717/139 or 717/140 or 717/148 or 717/162 or 717/167 or 703/24 or 703/26 or 703/27).class)) and (((translat\$3 or decod\$3 or encod\$3 or convert\$3 or interpret\$3 or map\$4 or compil\$5 or link\$3 or assembl\$4) with (cod\$3 or program\$4 or software\$1 or application\$1 or instruction\$1)) with (dynamic\$4 or real?time or run?time or just?in?time))) and ((sav\$3 or writ\$4 or stor\$4 or log\$4 or copi\$2 or copy\$3 or collect\$3 or \$1reserv\$5 or warehous\$3 or cach\$3 or conserv\$6) with (cod\$3 or program\$4 or software\$1 or application\$1 or instruction\$1) with cache\$1)) and (virtual near2 (machine\$1 or memor\$3))) and ((exception\$1 or interrupt\$4 or fault\$1 or event\$1) with (handl\$3 or manag\$4 or control\$4 or administ\$6 or process\$3))) and (((translat\$3 or decod\$3 or encod\$3 or convert\$3 or interpret\$3 or map\$4 or compil\$5 or link\$3 or assembl\$4) with (cod\$3 or program\$4 or software\$1 or application\$1 or instruction\$1)) same ((application near5 interface\$1) or API))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/09 12:41
-	4872	((translat\$3 or decod\$3 or encod\$3 or convert\$3 or interpret\$3 or map\$4 or compil\$5 or link\$3 or assembl\$4) with (cod\$3 or program\$4 or software\$1 or application\$1 or instruction\$1)) same ((application near5 interface\$1) or API))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/09 12:50

-	3	(((translat\$3 or decod\$3 or encod\$3 or convert\$3 or interpret\$3 or map\$4 or compil\$5 or link\$3 or assembl\$4) with (cod\$3 or program\$4 or software\$1 or application\$1 or instruction\$1)) same ((application near5 interface\$1) or API)) same (method\$1 or function\$1 or procedure\$1)) and ((((((((((comput\$4 or program\$5) with (system\$1 or device\$1 or peripheral\$1 or machine\$1)) or hardware) with (emulat\$3 or imitat\$3 or mirror\$3 or mimic\$4)) and ((translat\$3 or decod\$3 or encod\$3 or convert\$3 or interpret\$3 or map\$4 or compil\$5 or link\$3 or assembl\$4) with (cod\$3 or program\$4 or software\$1 or application\$1 or instruction\$1))) and ((717/136 or 717/138 or 717/139 or 717/140 or 717/148 or 717/162 or 717/167 or 703/24 or 703/26 or 703/27).clss)) and (((translat\$3 or decod\$3 or encod\$3 or convert\$3 or interpret\$3 or map\$4 or compil\$5 or link\$3 or assembl\$4) with (cod\$3 or program\$4 or software\$1 or application\$1 or instruction\$1)) with (dynamic\$4 or real?time or run?time or just?in?time))) and ((sav\$3 or writ\$4 or stor\$4 or log\$4 or copi\$2 or copy\$3 or collect\$3 or \$lreserv\$5 or warehous\$3 or cach\$3 or conserv\$6) with (cod\$3 or program\$4 or software\$1 or application\$1 or instruction\$1) with cache\$1)) and (virtual near2 (machine\$1 or memor\$3))) and ((exception\$1 or interrupt\$4 or fault\$1 or event\$1) with (handl\$3 or manag\$4 or control\$4 or administ\$6 or process\$3))) and (((translat\$3 or decod\$3 or encod\$3 or convert\$3 or interpret\$3 or map\$4 or compil\$5 or link\$3 or assembl\$4) with (cod\$3 or program\$4 or software\$1 or application\$1 or instruction\$1)) same ((application near5 interface\$1) or API)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/09 12:50
-	17216	((translat\$3 or decod\$3 or encod\$3 or convert\$3 or interpret\$3 or map\$4 or compil\$5 or link\$3 or assembl\$4) with (cod\$3 or program\$4 or software\$1 or application\$1 or instruction\$1)) same (((application or program\$5)near5 interface\$1) or API)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/09 12:55

-	11	<p>((((((((comput\$4 or program\$5) with (system\$1 or device\$1 or peripheral\$1 or machine\$1)) or hardware) with (emulat\$3 or imitat\$3 or mirror\$3 or mimic\$4)) and ((translat\$3 or decod\$3 or encod\$3 or convert\$3 or interpret\$3 or map\$4 or compil\$5 or link\$3 or assembl\$4) with (cod\$3 or program\$4 or software\$1 or application\$1 or instruction\$1))) and ((717/136 or 717/138 or 717/139 or 717/140 or 717/148 or 717/162 or 717/167 or 703/24 or 703/26 or 703/27).class)) and (((translat\$3 or decod\$3 or encod\$3 or convert\$3 or interpret\$3 or map\$4 or compil\$5 or link\$3 or assembl\$4) with (cod\$3 or program\$4 or software\$1 or application\$1 or instruction\$1)) with (dynamic\$4 or real?time or run?time or just?in?time))) and ((sav\$3 or writ\$4 or stor\$4 or log\$4 or copi\$2 or copy\$3 or collect\$3 or \$lreserv\$5 or warehous\$3 or cach\$3 or conserv\$6) with (cod\$3 or program\$4 or software\$1 or application\$1 or instruction\$1) with cache\$1)) and (virtual near2 (machine\$1 or memor\$3))) and ((exception\$1 or interrupt\$4 or fault\$1 or event\$1) with (handl\$3 or manag\$4 or control\$4 or administ\$6 or process\$3))) and (((translat\$3 or decod\$3 or encod\$3 or convert\$3 or interpret\$3 or map\$4 or compil\$5 or link\$3 or assembl\$4) with (cod\$3 or program\$4 or software\$1 or application\$1 or instruction\$1)) same (((application or program\$5)near5 interface\$1) or API))</p>	<p>USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB</p>	2004/08/09 12:56
-	7169	<p>(((translat\$3 or decod\$3 or encod\$3 or convert\$3 or interpret\$3 or map\$4 or compil\$5 or link\$3 or assembl\$4) with (cod\$3 or program\$4 or software\$1 or application\$1 or instruction\$1)) same (((application or program\$5)near5 interface\$1) or API)) same (method\$1 or function\$1 or procedure\$1)</p>	<p>USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB</p>	2004/08/09 12:57

	6	<p>((((((((((comput\$4 or program\$5) with (system\$1 or device\$1 or peripheral\$1 or machine\$1)) or hardware) with (emulat\$3 or imitat\$3 or mirror\$3 or mimic\$4)) and ((translat\$3 or decod\$3 or encod\$3 or convert\$3 or interpret\$3 or map\$4 or compil\$5 or link\$3 or assembl\$4) with (cod\$3 or program\$4 or software\$1 or application\$1 or instruction\$1))) and ((717/136 or 717/138 or 717/139 or 717/140 or 717/148 or 717/162 or 717/167 or 703/24 or 703/26 or 703/27).class)) and (((translat\$3 or decod\$3 or encod\$3 or convert\$3 or interpret\$3 or map\$4 or compil\$5 or link\$3 or assembl\$4) with (cod\$3 or program\$4 or software\$1 or application\$1 or instruction\$1)) with (dynamic\$4 or real?time or run?time or just?in?time))) and ((sav\$3 or writ\$4 or stor\$4 or log\$4 or copi\$2 or copy\$3 or collect\$3 or \$lreserv\$5 or warehous\$3 or cach\$3 or conserv\$6) with (cod\$3 or program\$4 or software\$1 or application\$1 or instruction\$1) with cache\$1)) and (virtual near2 (machine\$1 or memor\$3))) and ((exception\$1 or interrupt\$4 or fault\$1 or event\$1) with (handl\$3 or manag\$4 or control\$4 or administ\$6 or process\$3))) and (((translat\$3 or decod\$3 or encod\$3 or convert\$3 or interpret\$3 or map\$4 or compil\$5 or link\$3 or assembl\$4) with (cod\$3 or program\$4 or software\$1 or application\$1 or instruction\$1)) same (((application or program\$5)near5 interface\$1) or API))) and (((translat\$3 or decod\$3 or encod\$3 or convert\$3 or interpret\$3 or map\$4 or compil\$5 or link\$3 or assembl\$4) with (cod\$3 or program\$4 or software\$1 or application\$1 or instruction\$1)) same (((application or program\$5)near5 interface\$1) or API)) same (method\$1 or function\$1 or procedure\$1)) (execut\$3 or launch\$3 or deploy\$3) with (cod\$3 or program\$4 or software\$1 or application\$1 or instruction\$1)</p>	<p>USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB</p>	2004/08/09 13:43
-	339762		<p>USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB</p>	2004/08/09 13:44

-	6	(((((((((((comput\$4 or program\$5) with (system\$1 or device\$1 or peripheral\$1 or machine\$1)) or hardware) with (emulat\$3 or imitat\$3 or mirror\$3 or mimic\$4)) and (((translat\$3 or decod\$3 or encod\$3 or convert\$3 or interpret\$3 or map\$4 or compil\$5 or link\$3 or assembl\$4) with (cod\$3 or program\$4 or software\$1 or application\$1 or instruction\$1))) and ((717/136 or 717/138 or 717/139 or 717/140 or 717/148 or 717/162 or 717/167 or 703/24 or 703/26 or 703/27).clss)) and (((translat\$3 or decod\$3 or encod\$3 or convert\$3 or interpret\$3 or map\$4 or compil\$5 or link\$3 or assembl\$4) with (cod\$3 or program\$4 or software\$1 or application\$1 or instruction\$1)) with (dynamic\$4 or real?time or run?time or just?in?time))) and ((sav\$3 or writ\$4 or stor\$4 or log\$4 or copi\$2 or copy\$3 or collect\$3 or \$1reserv\$5 or warehous\$3 or cach\$3 or conserv\$6) with (cod\$3 or program\$4 or software\$1 or application\$1 or instruction\$1) with cache\$1)) and (virtual near2 (machine\$1 or memor\$3))) and ((exception\$1 or interrupt\$4 or fault\$1 or event\$1) with (handl\$3 or manag\$4 or control\$4 or administ\$6 or process\$3))) and (((translat\$3 or decod\$3 or encod\$3 or convert\$3 or interpret\$3 or map\$4 or compil\$5 or link\$3 or assembl\$4) with (cod\$3 or program\$4 or software\$1 or application\$1 or instruction\$1)) same (((application or program\$5)near5 interface\$1) or API))) and (((translat\$3 or decod\$3 or encod\$3 or convert\$3 or interpret\$3 or map\$4 or compil\$5 or link\$3 or assembl\$4) with (cod\$3 or program\$4 or software\$1 or application\$1 or instruction\$1)) same (((application or program\$5)near5 interface\$1) or API)) same (method\$1 or function\$1 or procedure\$1))) and ((execut\$3 or launch\$3 or deploy\$3) with (cod\$3 or program\$4 or software\$1 or application\$1 or instruction\$1))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/09 14:04
-	436	compiler\$1 with (api or ((application or program\$5) near4 interface\$1))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/09 14:23
-	51	(compiler\$1 with (api or ((application or program\$5) near4 interface\$1))) and ((717/136 or 717/138 or 717/139 or 717/140 or 717/148 or 717/162 or 717/167 or 703/24 or 703/26 or 703/27).clss)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/09 14:05
-	4	((compiler\$1 with (api or ((application or program\$5) near4 interface\$1))) and ((717/136 or 717/138 or 717/139 or 717/140 or 717/148 or 717/162 or 717/167 or 703/24 or 703/26 or 703/27).clss)) and (((comput\$4 or program\$5) with (system\$1 or device\$1 or peripheral\$1 or machine\$1)) or hardware) with (emulat\$3 or imitat\$3 or mirror\$3 or mimic\$4))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/09 14:05

-	4	(((compiler\$1 with (api or ((application or program\$5) near4 interface\$1))) and ((717/136 or 717/138 or 717/139 or 717/140 or 717/148 or 717/162 or 717/167 or 703/24 or 703/26 or 703/27).class)) and (((comput\$4 or program\$5) with (system\$1 or device\$1 or peripheral\$1 or machine\$1)) or hardware) with (emulat\$3 or imitat\$3 or mirror\$3 or mimic\$4))) and ((translat\$3 or decod\$3 or encod\$3 or convert\$3 or interpret\$3 or map\$4 or compil\$5 or link\$3 or assembl\$4) with (cod\$3 or program\$4 or software\$1 or application\$1 or instruction\$1)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/09 14:07
-	188	(compiler\$1 with (api or ((application or program\$5) near4 interface\$1))) same (method\$1 or function\$1 or procedure\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/09 14:36
-	3	(((compiler\$1 with (api or ((application or program\$5) near4 interface\$1))) and ((717/136 or 717/138 or 717/139 or 717/140 or 717/148 or 717/162 or 717/167 or 703/24 or 703/26 or 703/27).class)) and (((comput\$4 or program\$5) with (system\$1 or device\$1 or peripheral\$1 or machine\$1)) or hardware) with (emulat\$3 or imitat\$3 or mirror\$3 or mimic\$4))) and ((translat\$3 or decod\$3 or encod\$3 or convert\$3 or interpret\$3 or map\$4 or compil\$5 or link\$3 or assembl\$4) with (cod\$3 or program\$4 or software\$1 or application\$1 or instruction\$1))) and ((compiler\$1 with (api or ((application or program\$5) near4 interface\$1))) same (method\$1 or function\$1 or procedure\$1)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/09 14:16
-	12307	(translat\$3 or decod\$3 or encod\$3 or convert\$3 or interpret\$3 or map\$4 or compil\$5 or link\$3 or assembl\$4) with (api or ((application or program\$5) near4 interface\$1))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/09 14:38
-	248	((translat\$3 or decod\$3 or encod\$3 or convert\$3 or interpret\$3 or map\$4 or compil\$5 or link\$3 or assembl\$4) with (api or ((application or program\$5) near4 interface\$1))) and ((717/136 or 717/138 or 717/139 or 717/140 or 717/148 or 717/162 or 717/167 or 703/24 or 703/26 or 703/27).class)	USPAT	2004/08/09 14:25
-	55	((translat\$3 or decod\$3 or encod\$3 or convert\$3 or interpret\$3 or map\$4 or compil\$5 or link\$3 or assembl\$4) with (api or ((application or program\$5) near4 interface\$1))) and ((717/136 or 717/138 or 717/139 or 717/140 or 717/148 or 717/162 or 717/167 or 703/24 or 703/26 or 703/27).class)) and ((((((comput\$4 or program\$5) with (system\$1 or device\$1 or peripheral\$1 or machine\$1)) or hardware) with (emulat\$3 or imitat\$3 or mirror\$3 or mimic\$4)) and ((translat\$3 or decod\$3 or encod\$3 or convert\$3 or interpret\$3 or map\$4 or compil\$5 or link\$3 or assembl\$4) with (cod\$3 or program\$4 or software\$1 or application\$1 or instruction\$1)))) and ((717/136 or 717/138 or 717/139 or 717/140 or 717/148 or 717/162 or 717/167 or 703/24 or 703/26 or 703/27).class))	USPAT	2004/08/09 14:25

-	304	((translat\$3 or decod\$3 or encod\$3 or convert\$3 or interpret\$3 or map\$4 or compil\$5 or link\$3 or assembl\$4) with (api or ((application or program\$5) near4 interface\$1))) and ((717/136 or 717/138 or 717/139 or 717/140 or 717/148 or 717/162 or 717/167 or 703/24 or 703/26 or 703/27).class))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/09 14:26
-	13	((translat\$3 or decod\$3 or encod\$3 or convert\$3 or interpret\$3 or map\$4 or compil\$5 or link\$3 or assembl\$4) with (api or ((application or program\$5) near4 interface\$1))) and ((717/136 or 717/138 or 717/139 or 717/140 or 717/148 or 717/162 or 717/167 or 703/24 or 703/26 or 703/27).class)) and ((((((comput\$4 or program\$5) with (system\$1 or device\$1 or peripheral\$1 or machine\$1)) or hardware) with (emulat\$3 or imitat\$3 or mirror\$3 or mimic\$4)) and ((translat\$3 or decod\$3 or encod\$3 or convert\$3 or interpret\$3 or map\$4 or compil\$5 or link\$3 or assembl\$4) with (cod\$3 or program\$4 or software\$1 or application\$1 or instruction\$1))) and ((717/136 or 717/138 or 717/139 or 717/140 or 717/148 or 717/162 or 717/167 or 703/24 or 703/26 or 703/27).class)) and (((translat\$3 or decod\$3 or encod\$3 or convert\$3 or interpret\$3 or map\$4 or compil\$5 or link\$3 or assembl\$4) with (cod\$3 or program\$4 or software\$1 or application\$1 or instruction\$1)) with (dynamic\$4 or real?time or run?time or just?in?time))) and ((sav\$3 or writ\$4 or stor\$4 or log\$4 or copi\$2 or copy\$3 or collect\$3 or \$lreserv\$5 or warehous\$3 or cach\$3 or conserv\$6) with (cod\$3 or program\$4 or software\$1 or application\$1 or instruction\$1) with cache\$1))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/09 14:26



-	8	<p>(((translat\$3 or decod\$3 or encod\$3 or convert\$3 or interpret\$3 or map\$4 or compil\$5 or link\$3 or assembl\$4) with (api or ((application or program\$5) near4 interface\$1))) and ((717/136 or 717/138 or 717/139 or 717/140 or 717/148 or 717/162 or 717/167 or 703/24 or 703/26 or 703/27).class)) and ((((((comput\$4 or program\$5) with (system\$1 or device\$1 or peripheral\$1 or machine\$1)) or hardware) with (emulat\$3 or imitat\$3 or mirror\$3 or mimic\$4)) and ((translat\$3 or decod\$3 or encod\$3 or convert\$3 or interpret\$3 or map\$4 or compil\$5 or link\$3 or assembl\$4) with (cod\$3 or program\$4 or software\$1 or application\$1 or instruction\$1))) and ((717/136 or 717/138 or 717/139 or 717/140 or 717/148 or 717/162 or 717/167 or 703/24 or 703/26 or 703/27).class)) and (((translat\$3 or decod\$3 or encod\$3 or convert\$3 or interpret\$3 or map\$4 or compil\$5 or link\$3 or assembl\$4) with (cod\$3 or program\$4 or software\$1 or application\$1 or instruction\$1)) with (dynamic\$4 or real?time or run?time or just?in?time))) and ((sav\$3 or writ\$4 or stor\$4 or log\$4 or copi\$2 or copy\$3 or collect\$3 or \$lreserv\$5 or warehous\$3 or cach\$3 or conserv\$6) with (cod\$3 or program\$4 or software\$1 or application\$1 or instruction\$1) with cache\$1))) and (((((((((comput\$4 or program\$5) with (system\$1 or device\$1 or peripheral\$1 or machine\$1)) or hardware) with (emulat\$3 or imitat\$3 or mirror\$3 or mimic\$4)) and ((translat\$3 or decod\$3 or encod\$3 or convert\$3 or interpret\$3 or map\$4 or compil\$5 or link\$3 or assembl\$4) with (cod\$3 or program\$4 or software\$1 or application\$1 or instruction\$1))) and ((717/136 or 717/138 or 717/139 or 717/140 or 717/148 or 717/162 or 717/167 or 703/24 or 703/26 or 703/27).class)) and (((translat\$3 or decod\$3 or encod\$3 or convert\$3 or interpret\$3 or map\$4 or compil\$5 or link\$3 or assembl\$4) with (cod\$3 or program\$4 or software\$1 or application\$1 or instruction\$1)) with (dynamic\$4 or real?time or run?time or just?in?time))) and ((sav\$3 or writ\$4 or stor\$4 or log\$4 or copi\$2 or copy\$3 or collect\$3 or \$lreserv\$5 or warehous\$3 or cach\$3 or conserv\$6) with (cod\$3 or program\$4 or software\$1 or application\$1 or instruction\$1) with cache\$1)) and ((virtual near2 (machine\$1 or memor\$3))) and ((exception\$1 or interrupt\$4 or fault\$1 or event\$1) with (handl\$3 or manag\$4 or control\$4 or administ\$6 or process\$3)))</p>	<p>USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB</p>	2004/08/09 14:27
-	5038	<p>((translat\$3 or decod\$3 or encod\$3 or convert\$3 or interpret\$3 or map\$4 or compil\$5 or link\$3 or assembl\$4) with (api or ((application or program\$5) near4 interface\$1))) same (method\$1 or function\$1 or procedure\$1 or instruction\$1)</p>	<p>USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB</p>	2004/08/09 14:40

-	5	((((translat\$3 or decod\$3 or encod\$3 or convert\$3 or interpret\$3 or map\$4 or compil\$5 or link\$3 or assembl\$4) with (api or ((application or program\$5) near4 interface\$1))) same (method\$1 or function\$1 or procedure\$1 or instruction\$1)) and (((((((comput\$4 or program\$5) with (system\$1 or device\$1 or peripheral\$1 or machine\$1)) or hardware) with (emulat\$3 or imitat\$3 or mirror\$3 or mimic\$4)) and ((translat\$3 or decod\$3 or encod\$3 or convert\$3 or interpret\$3 or map\$4 or compil\$5 or link\$3 or assembl\$4) with (cod\$3 or program\$4 or software\$1 or application\$1 or instruction\$1))) and ((717/136 or 717/138 or 717/139 or 717/140 or 717/148 or 717/162 or 717/167 or 703/24 or 703/26 or 703/27).class)) and (((translat\$3 or decod\$3 or encod\$3 or convert\$3 or interpret\$3 or map\$4 or compil\$5 or link\$3 or assembl\$4) with (cod\$3 or program\$4 or software\$1 or application\$1 or instruction\$1)) with (dynamic\$4 or real?time or run?time or just?in?time))) and ((sav\$3 or writ\$4 or stor\$4 or log\$4 or copi\$2 or copy\$3 or collect\$3 or \$1reserv\$5 or warehous\$3 or cach\$3 or conserv\$6) with (cod\$3 or program\$4 or software\$1 or application\$1 or instruction\$1) with cache\$1)) and (virtual near2 (machine\$1 or memor\$3))) and ((exception\$1 or interrupt\$4 or fault\$1 or event\$1) with (handl\$3 or manag\$4 or control\$4 or administ\$6 or process\$3)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/09 14:51
-	19317	(compiler\$1 or emulator\$1 or interpret?r\$1 or linker\$1 or decoder\$1) with (interfac\$3 or API)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/09 14:53
-	399	((compiler\$1 or emulator\$1 or interpret?r\$1 or linker\$1 or decoder\$1) with (interfac\$3 or API)) and ((717/136 or 717/138 or 717/139 or 717/140 or 717/148 or 717/162 or 717/167 or 703/24 or 703/26 or 703/27).class)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/09 14:53
-	156	((compiler\$1 or emulator\$1 or interpret?r\$1 or linker\$1 or decoder\$1) with (interfac\$3 or API)) and ((717/136 or 717/138 or 717/139 or 717/140 or 717/148 or 717/162 or 717/167 or 703/24 or 703/26 or 703/27).class)) and (((comput\$4 or program\$5) with (system\$1 or device\$1 or peripheral\$1 or machine\$1)) or hardware) with (emulat\$3 or imitat\$3 or mirror\$3 or mimic\$4))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/09 14:53
-	141	((compiler\$1 or emulator\$1 or interpret?r\$1 or linker\$1 or decoder\$1) with (interfac\$3 or API)) and ((717/136 or 717/138 or 717/139 or 717/140 or 717/148 or 717/162 or 717/167 or 703/24 or 703/26 or 703/27).class)) and (((comput\$4 or program\$5) with (system\$1 or device\$1 or peripheral\$1 or machine\$1)) or hardware) with (emulat\$3 or imitat\$3 or mirror\$3 or mimic\$4)) and ((translat\$3 or decod\$3 or encod\$3 or convert\$3 or interpret\$3 or map\$4 or compil\$5 or link\$3 or assembl\$4) with (cod\$3 or program\$4 or software\$1 or application\$1 or instruction\$1))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/09 14:53

-	25	(((((compiler\$1 or emulator\$1 or interpret?r\$1 or linker\$1 or decoder\$1) with (interfac\$3 or API)) and ((717/136 or 717/138 or 717/139 or 717/140 or 717/148 or 717/162 or 717/167 or 703/24 or 703/26 or 703/27).clss)) and (((comput\$4 or program\$5) with (system\$1 or device\$1 or peripheral\$1 or machine\$1)) or hardware) with (emulat\$3 or imitat\$3 or mirror\$3 or mimic\$4))) and ((translat\$3 or decod\$3 or encod\$3 or convert\$3 or interpret\$3 or map\$4 or compil\$5 or link\$3 or assembl\$4) with (cod\$3 or program\$4 or software\$1 or application\$1 or instruction\$1))) and (((translat\$3 or decod\$3 or encod\$3 or convert\$3 or interpret\$3 or map\$4 or compil\$5 or link\$3 or assembl\$4) with (cod\$3 or program\$4 or software\$1 or application\$1 or instruction\$1)) with (dynamic\$4 or real?time or run?time or just?in?time)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/09 14:54
-	8	(((((compiler\$1 or emulator\$1 or interpret?r\$1 or linker\$1 or decoder\$1) with (interfac\$3 or API)) and ((717/136 or 717/138 or 717/139 or 717/140 or 717/148 or 717/162 or 717/167 or 703/24 or 703/26 or 703/27).clss)) and (((comput\$4 or program\$5) with (system\$1 or device\$1 or peripheral\$1 or machine\$1)) or hardware) with (emulat\$3 or imitat\$3 or mirror\$3 or mimic\$4))) and ((translat\$3 or decod\$3 or encod\$3 or convert\$3 or interpret\$3 or map\$4 or compil\$5 or link\$3 or assembl\$4) with (cod\$3 or program\$4 or software\$1 or application\$1 or instruction\$1))) and (((translat\$3 or decod\$3 or encod\$3 or convert\$3 or interpret\$3 or map\$4 or compil\$5 or link\$3 or assembl\$4) with (cod\$3 or program\$4 or software\$1 or application\$1 or instruction\$1)) with (dynamic\$4 or real?time or run?time or just?in?time))) and ((sav\$3 or writ\$4 or stor\$4 or log\$4 or copi\$2 or copy\$3 or collect\$3 or \$lreserv\$5 or warehous\$3 or cach\$3 or conserv\$6) with (cod\$3 or program\$4 or software\$1 or application\$1 or instruction\$1) with cache\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/09 14:55
-	428	compiler near4 (API or interfac\$3)	USPAT	2004/08/09 17:17
-	2836	(717/136 or 717/138 or 717/139 or 717/140 or 717/148 or 717/162 or 717/167 or 703/24 or 703/26 or 703/27).clss	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/09 17:03
-	71	((717/136 or 717/138 or 717/139 or 717/140 or 717/148 or 717/162 or 717/167 or 703/24 or 703/26 or 703/27).clss) and (compiler near4 (API or interfac\$3))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/09 17:11
-	605	compiler\$1 with (interact\$3 or access\$3 or sav\$3 or writ\$4 or stor\$4 or log\$4 or copi\$2 or copy\$3 or collect\$3 or \$lreserv\$5 or warehous\$3 or cach\$3 or conserv\$6 or receiv\$3 or retriev\$3 or input\$4 or fetch\$3 or intercept\$3 or accept\$3 or acquir\$3 or collect\$3 or obtain\$3 or secur\$3 or send\$3 or emit\$4 or emission\$1 or transmit\$4 or transmission\$1 or rout\$3 or transfer\$4 or return\$3 or output\$4 or distribut\$3 or transport\$5 or administer\$3 or dispens\$3 or pass\$3 or furnish\$3 or provid\$3 or provision or supply\$3 or deliver\$3) with cache\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/09 17:10

-	5	(compiler\$1 with (interact\$3 or access\$3 or sav\$3 or writ\$4 or stor\$4 or log\$4 or copi\$2 or copy\$3 or collect\$3 or \$lreserv\$5 or warehous\$3 or cach\$3 or conserv\$6 or receiv\$3 or retriev\$3 or input\$4 or fetch\$3 or intercept\$3 or accept\$3 or acquir\$3 or collect\$3 or obtain\$3 or secur\$3 or send\$3 or emit\$4 or emission\$1 or transmit\$4 or transmission\$1 or rout\$3 or transfer\$4 or return\$3 or output\$4 or distribut\$3 or transport\$5 or administer\$3 or dispens\$3 or pass\$3 or furnish\$3 or provid\$3 or provision or supply\$3 or deliver\$3) with cache\$1) and ((717/136 or 717/138 or 717/139 or 717/140 or 717/148 or 717/162 or 717/167 or 703/24 or 703/26 or 703/27).clss) and (compiler near4 (API or interfac\$3)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/09 17:11
-	4061	cache\$1 near4 (API or interfac\$3)	USPAT	2004/08/09 17:22
-	1	((cache\$1 near4 (API or interfac\$3)) and ((717/136 or 717/138 or 717/139 or 717/140 or 717/148 or 717/162 or 717/167 or 703/24 or 703/26 or 703/27).clss)) and (compiler\$1 with (interact\$3 or access\$3 or sav\$3 or writ\$4 or stor\$4 or log\$4 or copi\$2 or copy\$3 or collect\$3 or \$lreserv\$5 or warehous\$3 or cach\$3 or conserv\$6 or receiv\$3 or retriev\$3 or input\$4 or fetch\$3 or intercept\$3 or accept\$3 or acquir\$3 or collect\$3 or obtain\$3 or secur\$3 or send\$3 or emit\$4 or emission\$1 or transmit\$4 or transmission\$1 or rout\$3 or transfer\$4 or return\$3 or output\$4 or distribut\$3 or transport\$5 or administer\$3 or dispens\$3 or pass\$3 or furnish\$3 or provid\$3 or provision or supply\$3 or deliver\$3) with cache\$1)	USPAT USPAT	2004/08/09 17:18
-	65	(cache\$1 near4 (API or interfac\$3)) and ((717/136 or 717/138 or 717/139 or 717/140 or 717/148 or 717/162 or 717/167 or 703/24 or 703/26 or 703/27).clss)	USPAT	2004/08/09 17:22
-	68	cache\$1 near4 API	USPAT	2004/08/09 17:33
-	1	(cache\$1 near4 API) and ((717/136 or 717/138 or 717/139 or 717/140 or 717/148 or 717/162 or 717/167 or 703/24 or 703/26 or 703/27).clss)	USPAT	2004/08/09 17:22
-	1	(cache\$1 near4 API) and (compiler\$1 with (interact\$3 or access\$3 or sav\$3 or writ\$4 or stor\$4 or log\$4 or copi\$2 or copy\$3 or collect\$3 or \$lreserv\$5 or warehous\$3 or cach\$3 or conserv\$6 or receiv\$3 or retriev\$3 or input\$4 or fetch\$3 or intercept\$3 or accept\$3 or acquir\$3 or collect\$3 or obtain\$3 or secur\$3 or send\$3 or emit\$4 or emission\$1 or transmit\$4 or transmission\$1 or rout\$3 or transfer\$4 or return\$3 or output\$4 or distribut\$3 or transport\$5 or administer\$3 or dispens\$3 or pass\$3 or furnish\$3 or provid\$3 or provision or supply\$3 or deliver\$3) with cache\$1)	USPAT	2004/08/09 17:26
-	3	6145056.URPN.	USPAT	2004/08/09 17:29
-	0	6145056.URPN. and (cache\$1 near4 (API or interfac\$3))	USPAT	2004/08/09 17:30
-	19	(cache\$1 near4 API) and (flush\$3 with cache\$1)	USPAT	2004/08/09 17:32
-	142	cache\$1 near4 API	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/09 17:37

-	605	compiler\$1 with (interact\$3 or access\$3 or sav\$3 or writ\$4 or stor\$4 or log\$4 or copi\$2 or copy\$3 or collect\$3 or \$lreserv\$5 or warehous\$3 or cach\$3 or conserv\$6 or receiv\$3 or retriev\$3 or input\$4 or fetch\$3 or intercept\$3 or accept\$3 or acquir\$3 or collect\$3 or obtain\$3 or secur\$3 or send\$3 or emit\$4 or emission\$1 or transmit\$4 or transmission\$1 or rout\$3 or transfer\$4 or return\$3 or output\$4 or distribut\$3 or transport\$5 or administer\$3 or dispens\$3 or pass\$3 or furnish\$3 or provid\$3 or provision or supply\$3 or deliver\$3) with cache\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/09 17:36
-	29	(cache\$1 near4 API) and (flush\$3 with cache\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/09 17:40
-	29	((cache\$1 near4 API) and (flush\$3 with cache\$1)) and ((sav\$3 or writ\$4 or stor\$4 or log\$4 or copi\$2 or copy\$3 or collect\$3 or \$lreserv\$5 or warehous\$3 or cach\$3 or conserv\$6) with cache\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/09 17:42
-	13	((cache\$1 near4 API) and (flush\$3 with cache\$1)) and ((execut\$3 or launch\$3 or deploy\$3) with (cod\$3 or program\$4 or software\$1 or application\$1 or instruction\$1) with cache\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/09 17:44
-	29	((cache\$1 near4 API) and (flush\$3 with cache\$1)) and ((receiv\$3 or read\$3 or look\$3 or retriev\$3 or fetch\$3 or intercept\$3 or accept\$3 or acquir\$3 or obtain\$3) with cache\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/09 17:45
-	15	((cache\$1 near4 API) and (flush\$3 with cache\$1)) and ((invalidat\$3 or delet\$3 or lock\$3 or cancel\$6 or nullif\$4) with (cod\$3 or program\$4 or software\$1 or application\$1 or instruction\$1) with cache\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/09 17:50
-	29	((cache\$1 near4 API) and (flush\$3 with cache\$1)) and (((cache\$1 near4 API) and (flush\$3 with cache\$1)) and ((sav\$3 or writ\$4 or stor\$4 or log\$4 or copi\$2 or copy\$3 or collect\$3 or \$lreserv\$5 or warehous\$3 or cach\$3 or conserv\$6) with cache\$1))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/09 17:50
-	13	((cache\$1 near4 API) and (flush\$3 with cache\$1)) and (((cache\$1 near4 API) and (flush\$3 with cache\$1)) and ((sav\$3 or writ\$4 or stor\$4 or log\$4 or copi\$2 or copy\$3 or collect\$3 or \$lreserv\$5 or warehous\$3 or cach\$3 or conserv\$6) with cache\$1)) and (((cache\$1 near4 API) and (flush\$3 with cache\$1)) and ((execut\$3 or launch\$3 or deploy\$3) with (cod\$3 or program\$4 or software\$1 or application\$1 or instruction\$1) with cache\$1))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/09 17:50

-	13	(((cache\$1 near4 API) and (flush\$3 with cache\$1)) and (((cache\$1 near4 API) and (flush\$3 with cache\$1)) and ((sav\$3 or writ\$4 or stor\$4 or log\$4 or copi\$2 or copy\$3 or collect\$3 or \$lreserv\$5 or warehous\$3 or cach\$3 or conserv\$6) with cache\$1))) and (((cache\$1 near4 API) and (flush\$3 with cache\$1)) and ((execut\$3 or launch\$3 or deploy\$3) with (cod\$3 or program\$4 or software\$1 or application\$1 or instruction\$1) with cache\$1))) and (((cache\$1 near4 API) and (flush\$3 with cache\$1)) and ((receiv\$3 or read\$3 or look\$3 or retriev\$3 or fetch\$3 or intercept\$3 or accept\$3 or acquir\$3 or obtain\$3) with cache\$1))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/09 17:50
-	8	(((cache\$1 near4 API) and (flush\$3 with cache\$1)) and (((cache\$1 near4 API) and (flush\$3 with cache\$1)) and ((sav\$3 or writ\$4 or stor\$4 or log\$4 or copi\$2 or copy\$3 or collect\$3 or \$lreserv\$5 or warehous\$3 or cach\$3 or conserv\$6) with cache\$1))) and (((cache\$1 near4 API) and (flush\$3 with cache\$1)) and ((execut\$3 or launch\$3 or deploy\$3) with (cod\$3 or program\$4 or software\$1 or application\$1 or instruction\$1) with cache\$1))) and (((cache\$1 near4 API) and (flush\$3 with cache\$1)) and ((receiv\$3 or read\$3 or look\$3 or retriev\$3 or fetch\$3 or intercept\$3 or accept\$3 or acquir\$3 or obtain\$3) with cache\$1))) and (((cache\$1 near4 API) and (flush\$3 with cache\$1)) and ((invalidat\$3 or delet\$3 or lock\$3 or cancel\$6 or nullif\$4) with (cod\$3 or program\$4 or software\$1 or application\$1 or instruction\$1) with cache\$1))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/09 18:02
-	4	(((cache\$1 near4 API) and (flush\$3 with cache\$1)) and (((cache\$1 near4 API) and (flush\$3 with cache\$1)) and ((sav\$3 or writ\$4 or stor\$4 or log\$4 or copi\$2 or copy\$3 or collect\$3 or \$lreserv\$5 or warehous\$3 or cach\$3 or conserv\$6) with cache\$1))) and (((cache\$1 near4 API) and (flush\$3 with cache\$1)) and ((execut\$3 or launch\$3 or deploy\$3) with (cod\$3 or program\$4 or software\$1 or application\$1 or instruction\$1) with cache\$1))) and (((cache\$1 near4 API) and (flush\$3 with cache\$1)) and ((receiv\$3 or read\$3 or look\$3 or retriev\$3 or fetch\$3 or intercept\$3 or accept\$3 or acquir\$3 or obtain\$3) with cache\$1))) and (((cache\$1 near4 API) and (flush\$3 with cache\$1)) and ((invalidat\$3 or delet\$3 or lock\$3 or cancel\$6 or nullif\$4) with (cod\$3 or program\$4 or software\$1 or application\$1 or instruction\$1) with cache\$1))) and compil\$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/09 18:03